




FIG. 2



UserName

Password

FIG.2



PLEASE SELECT THE FIBER QUALITY DATA PRODUCTS
THAT ARE IMPORTANT FOR YOUR PRODUCT AND PROCESS

Fiber Properties	select
mic	<input checked="" type="checkbox"/>
length	<input checked="" type="checkbox"/>
Length Unif	<input type="checkbox"/>
sfc	<input checked="" type="checkbox"/>
strength	<input type="checkbox"/>
elongation	<input type="checkbox"/>
ColorGrade	<input checked="" type="checkbox"/>
rd	<input type="checkbox"/>
b	<input type="checkbox"/>
LeafCall	<input checked="" type="checkbox"/>
area	<input type="checkbox"/>
MoistureContent	<input type="checkbox"/>
m_neps	<input type="checkbox"/>
scf	<input type="checkbox"/>
maturity	<input type="checkbox"/>
fineness	<input type="checkbox"/>
stickiness	<input type="checkbox"/>

FIG.3



PLEASE DEFINE THE RANGE OF FIBER QUALITY MEASUREMENTS
IMPORTANT TO YOUR PRODUCT AND PROCESS

fieldname	Range	from	to
mic	(2,8)	<input type="text" value="3"/>	<input type="text" value="4"/>
length	(0.9,1.5)	<input type="text" value="32"/>	<input type="text" value="34"/>
sfc	(1,10)	<input type="text" value="7"/>	<input type="text" value="9"/>
ColorGrade	(11,85)	<input type="text" value="21"/>	<input type="text" value="51"/>
LeafCall	(1,7)	<input type="text" value="2"/>	<input type="text" value="4"/>

FIG.4

FIG. 4



#	PBI	mic	length	sfc	ColorGrade	LeafCal
1	36028	3.9	32	8.0%	41	2.6
2	2764	3.8	32	8.5%	41	2.8
3	22300	3.8	32	8.3%	41	3.1

Top

↩ Prev

Next ⇨

Bottom

Row+

Row-

Grid+

Grid-

Filter

Download

Reload

[1 -3 : 3] Color=4

(Click on any column title to sort)

Contact *Schaffner Technologies, Inc.*

email: kshofner@aol.com

FIG.5



FIG. 6

TITLE: SYSTEM AND METHOD FOR MARKETING COTTON

Inventors: Christopher K. Shofner et al

Patent Application Serial Number: 09/917,186

Sheet 7 of 7

09917186-100401




FIG. 7